



Color: ■ black

The WAGO USB Communication Cable connects a PC (notebook) to both the service interface of the 857 Series Signal Conditioners and the configuration interface of the WAGO I/O Fieldbus Couplers/Controllers.

Notice!
Using the WAGO 759-923 USB Communication Cable in combination with select programmable fieldbus controllers requires the specific firmware versions listed below:
750-841: Firmware Version 12 (or higher)
750-872/0020-0000: Firmware Version 2 (or higher)

Technical data	
Connection type	4-pole male connector - USB A-type plug
Pole number	4
Cable length	2.5 m
Supported operating systems	Windows XP (SP3 or higher) Windows 7 Windows 10 Windows 11

Physical data	
Width	15 mm / 0.591 inches
Height	50 mm / 1.97 inches
Depth	19 mm / 0.748 inches



Mechanical data	
Sheathed cable color	black
Weight	64.8 g
Color	black

Environmental requirements	
Ambient temperature (operation)	-25 ... +70 °C
Protection type	IP20
EMC immunity to interference	per EN 61000-4-3, EN 61000-4-6
EMC emission of interference	per EN 55022
Fire load	0.121 MJ
Flammability class per UL94	V0

Commercial data	
Product Group	15 (I/O System)
PU (SPU)	1 pcs
Packaging type	Bag
Country of origin	DE
GTIN	4045454571641
Customs tariff number	85444290900

Product Classification	
UNSPSC	26121604
eCl@ss 10.0	27-24-22-20
eCl@ss 9.0	27-24-22-20
ETIM 9.0	EC000237
ETIM 10.0	EC000237
ECCN	NO US CLASSIFICATION

Environmental Product Compliance	
CAS-No.	1303-86-2 1317-36-8 7439-92-1
REACH Candidate List Substance	Diboron trioxide Lead Lead monoxide
RoHS Compliance Status	Compliant,With Exemption
RoHS Exemption	7(a) 7(c)-I
SCIP notification number (Austria)	9e5097e6-1b4d-4c10-ac9f-949e80a1a7af
SCIP notification number (Belgium)	cd622d01-635d-4281-8238-ea02c8311748
SCIP notification number (Bulgaria)	b9155fe7-6513-4ec6-af9f-124ceda38a3a
SCIP notification number (Czech Republic)	2109edb2-800b-4673-841c-523694dd9c60
SCIP notification number (Denmark)	4ab2b97e-ec96-4026-9290-801b9a92b41d
SCIP notification number (Finland)	10abd4ab-93c3-4438-8282-49139e408866
SCIP notification number (France)	a7f69d1d-271b-40e0-9355-c7a36f887a6b
SCIP notification number (Germany)	56647f37-9c36-463b-ab76-6c9d2c249399
SCIP notification number (Hungary)	32ada567-ec99-4dc0-9a03-a1d92434c26a
SCIP notification number (Italy)	f6c2ed03-923c-4cbf-9335-fddc27a547ba
SCIP notification number (Netherlands)	48e4b7e2-f498-4fdf-be96-ce56252a8eeb
SCIP notification number (Poland)	1c91e835-c1fa-476e-ba7c-33aac4838bc0
SCIP notification number (Romania)	178d6172-4acc-4c72-895d-5680a510e3f7
SCIP notification number (Sweden)	bc04e42b-10a8-4acd-bf23-6178d63c6078



Approvals / Certificates

General approvals



Approval	Standard	Certificate Name
EAC GZO Almaty Standart	TP TC 020/2011	EAC CoC 03083

Declarations of conformity and manufacturer's declarations

Approval	Standard	Certificate Name
EU-Declaration of Conformity WAGO GmbH & Co. KG	-	-

Downloads

Environmental Product Compliance

Compliance Search
Environmental Product Compliance 750-923

Documentation

System Description
750/753 Series I/O-System – General Product Information

Tutorial
Set IP address with Ethernet Settings

Bid Text
750-923
19.02.2019
xml 3.94 KB
750-923
26.06.2019
docx 14.59 KB
ausschreiben.de 750-923

CAD/CAE-Data

CAE data
EPLAN Data Portal 750-923
WSCAD Universe 750-923



Device Files

Device Driver			
WAGO USB Service Ka- bel Treiber / Serie 750 und 857	6.5.3.0 10.09.2014	zip 4721.96 KB	

Subject to changes. Please also observe the further product documentation!

Current addresses can be found at: www.wago.com