

Product datasheet

Specifications



Adapter mechanism for rotary handle iC60

Local distributor code:

396737472

A9A27008

EAN Code: 3606480324819

Main

Range of product	ISW 40...125 IC60 ISW-NA IID
Product or component type	Rotary handle mechanism
Accessory / separate part type	Control accessories
Rotary handle mounting style	Extended

Complementary

mounting mode	Fixed Drawout
Rotary handle padlocking	Padlock in OFF position 3 padlocks max Lockable in O position
Rotary handle mounting location	Lateral Front

Environment

IP degree of protection	IP55
-------------------------	------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.700 cm
Package 1 Width	12.500 cm
Package 1 Length	47.500 cm
Package 1 Weight	562.900 g
Unit Type of Package 2	S04
Number of Units in Package 2	12
Package 2 Height	30.000 cm
Package 2 Width	40.000 cm
Package 2 Length	60.000 cm
Package 2 Weight	7.531 kg
Unit Type of Package 3	P12
Number of Units in Package 3	48
Package 3 Height	45.000 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	42.088 kg

Logistical informations

Country of origin	HU
-------------------	----

Contractual warranty

Warranty (in months)	18
----------------------	----

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

 Environmental footprint	
Environmental Disclosure	Product Environmental Profile

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	4799aa29-43df-47e5-9ded-ac5e33a3c1da
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
Halogen-free status	Halogen free plastic parts product
PVC free	Yes

Use Longer

 Lifetime extension	
Repair	No

Use Again

 Repack and remanufacture	
End of life manual availability	End of Life Information
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins