

Product datasheet

Specifications



cord set - 20-way terminal - one end flying leads - for M340 I/O - 3 m

Local distributor code:

389737696

BMXFTW301

EAN Code: 3595863920307

Main

Range of product	Modicon X80
Accessory / separate part type	Preformed cordset
Accessory / separate part designation	Preformed cordset with one end with flying leads
Accessory / separate part destination	For I/O module with removable terminal block
Number of cables	1
Electrical connection	1 end with color-coded flying leads conforming to DIN 47100 1 removable terminal block 20 ways
Cable length	3 m

Complementary

Total number of wires	20
Wire section	0.324 mm²
Product weight	0.85 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.600 cm
Package 1 Width	22.000 cm
Package 1 Length	23.000 cm
Package 1 Weight	492.000 g
Unit Type of Package 2	S02
Number of Units in Package 2	9
Package 2 Height	15.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	4.713 kg
Unit Type of Package 3	P06
Number of Units in Package 3	144
Package 3 Height	75.000 cm
Package 3 Width	60.000 cm
Package 3 Length	80.000 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 3 Weight	84.548 kg
------------------	-----------

Logistical informations

Country of origin	TH
-------------------	----

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

EU RoHS Directive

[Compliant](#)

REACH Regulation

[Free of Substances of Very High Concern above the threshold](#)

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

End of life manual availability

[End of Life Information](#)


Take-back

No

Connections and Schema

Connection of BMX FTW ••1 Cables

The diagram below shows the connection of BMXFTW ••1 cables: 68



(1) : Cabling View
□ : Not Wired
■ : Wired