

# Product datasheet

Specifications



## shielded cord set - 28 ways terminal - one end flying leads - for X80 - 3 m

Local distributor code:

395510742

BMXFTW308S

EAN Code: 3595864110028

### Main

|                                |                                                                                            |
|--------------------------------|--------------------------------------------------------------------------------------------|
| Range of product               | Modicon X80                                                                                |
| Accessory / separate part type | Preformed cordset                                                                          |
| Product compatibility          | BMXAMI0810<br>BMXAMI0800                                                                   |
| Electrical connection          | 1 free end with color-coded flying leads<br>1 removable terminal block 28 ways module side |
| Cable length                   | 3 m                                                                                        |

### Complementary

|                |         |
|----------------|---------|
| Product weight | 0.48 kg |
|----------------|---------|

### Packing Units

|                              |           |
|------------------------------|-----------|
| Unit Type of Package 1       | PCE       |
| Number of Units in Package 1 | 1         |
| Package 1 Height             | 3.500 cm  |
| Package 1 Width              | 26.000 cm |
| Package 1 Length             | 26.000 cm |
| Package 1 Weight             | 488.000 g |
| Unit Type of Package 2       | S02       |
| Number of Units in Package 2 | 7         |
| Package 2 Height             | 15.000 cm |
| Package 2 Width              | 30.000 cm |
| Package 2 Length             | 40.000 cm |
| Package 2 Weight             | 4.130 kg  |
| Unit Type of Package 3       | P06       |
| Number of Units in Package 3 | 112       |
| Package 3 Height             | 75.000 cm |
| Package 3 Width              | 60.000 cm |
| Package 3 Length             | 80.000 cm |
| Package 3 Weight             | 76.084 kg |

### Logistical informations

|                   |    |
|-------------------|----|
| Country of origin | TN |
|-------------------|----|

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

# Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

|                                                        |                |
|--------------------------------------------------------|----------------|
| Total lifecycle Carbon footprint                       | 43 kg CO2 eq.  |
| Carbon footprint of the manufacturing phase [A1 to A3] | 3 kg CO2 eq.   |
| Carbon footprint of the distribution phase [A4]        | 0.9 kg CO2 eq. |
| Carbon footprint of the installation phase [A5]        | 0 kg CO2 eq.   |
| Carbon footprint of the use phase [B2, B3, B4, B6]     | 38 kg CO2 eq.  |
| Carbon footprint of the end-of-life phase [C1 to C4]   | 1 kg CO2 eq.   |

## Use Better



### Materials and Substances

|                                        |                                                                             |
|----------------------------------------|-----------------------------------------------------------------------------|
| Packaging made with recycled cardboard | Yes                                                                         |
| Packaging without single use plastic   | No                                                                          |
| EU RoHS Directive                      | <a href="#">Compliant</a>                                                   |
| REACH Regulation                       | <a href="#">Free of Substances of Very High Concern above the threshold</a> |

## Use Longer



### Lifetime extension

|        |    |
|--------|----|
| Repair | No |
|--------|----|

## Use Again



### Repack and remanufacture

|                                 |                                         |
|---------------------------------|-----------------------------------------|
| Recyclability potential, in %   | 0.018424224381023382                    |
| End of life manual availability | <a href="#">End of Life Information</a> |
| Take-back                       | No                                      |