


# Product datasheet

Specifications



## TeSys GV2 - Combination blocks - with contactor LC1K and LP1K

Local distributor code:  
20569039

GV2AF01

EAN Code: 3389110213317

### Main

|                                    |                                    |
|------------------------------------|------------------------------------|
| Range                              | Linergy                            |
| Product name                       | FT                                 |
| Device short name                  | GV2AF                              |
| Product or component type          | Combination block                  |
| Accessory / separate part category | Connection accessory               |
| Range compatibility                | TeSys K<br>TeSys GV2<br>TeSys Deca |

### Complementary

|                       |              |
|-----------------------|--------------|
| Product compatibility | LP1K<br>LC1K |
| Poles description     | 3P           |
| Quantity per set      | Set of 10    |
| Product weight        | 0.02 kg      |

### Packing Units

|                              |           |
|------------------------------|-----------|
| Unit Type of Package 1       | PCE       |
| Number of Units in Package 1 | 1         |
| Package 1 Height             | 3.700 cm  |
| Package 1 Width              | 4.100 cm  |
| Package 1 Length             | 5.500 cm  |
| Package 1 Weight             | 12.000 g  |
| Unit Type of Package 2       | BB1       |
| Number of Units in Package 2 | 10        |
| Package 2 Height             | 7.700 cm  |
| Package 2 Width              | 8.700 cm  |
| Package 2 Length             | 12.000 cm |
| Package 2 Weight             | 144.000 g |
| Unit Type of Package 3       | S02       |
| Number of Units in Package 3 | 120       |
| Package 3 Height             | 15.000 cm |
| Package 3 Width              | 30.000 cm |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                  |           |
|------------------|-----------|
| Package 3 Length | 40.000 cm |
| Package 3 Weight | 2.020 kg  |

## Logistical informations

|                   |    |
|-------------------|----|
| Country of origin | FR |
|-------------------|----|

## Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

## Use Better



### Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

Yes

EU RoHS Directive

[Compliant](#)

REACH Regulation

[Free of Substances of Very High Concern above the threshold](#)

## Use Longer



### Lifetime extension

Repair

No

## Use Again



### Repack and remanufacture

End of life manual availability

[End of Life Information](#)

Take-back

No

WEEE Label




The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Dimensions Drawings


GV2AF01

Combination GV2ME + TeSys k contactor



GV2AF3

Combination GV2ME + TeSys d contactor



| GV2ME + | LC1D09...D18 | LC1D25 and D32 |
|---------|--------------|----------------|
| b       | 176.4        | 186.8          |
| c1      | 94.1         | 100.4          |
| c       | 99.6         | 105.9          |

Technical Illustration

Assembly's dimensions

---

