



PRODUCT-DETAILS

# MCB-01

## MCB-01 Contact Block



| General Information    |                                           |
|------------------------|-------------------------------------------|
| Extended Product Type: | MCB-01                                    |
| Product ID:            | 1SFA611699R1010                           |
| EAN:                   | 7320500558133                             |
| Catalog Description:   | MCB-01 Contact Block                      |
| Long Description:      | Modular contact block 1NC with 500pcs/box |
| Display Name:          | MCB-01                                    |

| Ordering                |            |
|-------------------------|------------|
| Minimum Order Quantity: | 500 piece  |
| Customs Tariff Number:  | 8536508000 |

| Popular Downloads                  |                 |
|------------------------------------|-----------------|
| Data Sheet, Technical Information: | 1SFC151007C02__ |
| Instructions and Manuals:          | 1SFC151011M0201 |

Marketing Video: 1SFC151037V0001

## Dimensions

|                             |          |
|-----------------------------|----------|
| Product Net Width:          | 0.01 m   |
| Product Net Height:         | 0.044 m  |
| Product Net Depth / Length: | 0.028 m  |
| Product Net Weight:         | 0.013 kg |

## Technical

|                                                    |                                                    |
|----------------------------------------------------|----------------------------------------------------|
| Ambient Air Temperature:                           | Operation -25 ... +70 °C<br>Storage -40 ... +85 °C |
| Function:                                          | Without holder                                     |
| Mounting Type:                                     | Front mounting                                     |
| Number of Auxiliary Contacts NC:                   | 1                                                  |
| Number of Auxiliary Contacts NO:                   | 0                                                  |
| Rated Frequency (f):                               | Supply Circuit 50 / 60 Hz                          |
| Rated Operational Current DC-13 (I <sub>e</sub> ): | (24 V) 0.27 A<br>(125 V) 0.55 A                    |
| Rated Operational Current AC-15 (I <sub>e</sub> ): | (230 V AC) 6 A<br>(120 V) 8 A                      |
| Power Loss:                                        | Maximum 2.5 W                                      |
| Mechanical Durability:                             | 1 million                                          |
| Connection Type:                                   | Screw Clamp                                        |
| Terminal Type:                                     | Screw Terminals                                    |
| Tightening Torque:                                 | 0.9 N·m                                            |

Suitable For:

- MP1
- MP2
- MP3
- MP4
- MPD1
- MPD2
- MPD3
- MPD4
- MPD5
- MPD11
- MPD12
- MPD13
- MPD14
- MPD15
- MPD16
- MPM1
- MPM2
- KP6
- MPET3
- MPEP3
- MPEK3
- MPET4
- MPEP4
- MPEK4
- MPMT3
- MPMT4
- MPMP3
- MPMP4
- M2SS1
- M2SS2
- M2SS3
- M2SS4
- M2SS5
- M2SS6
- M3SS1
- M3SS2
- M3SS3
- M3SS4
- M3SS5
- M3SS6
- M3SS7
- M3SS8
- M3SSC1
- M3SSC2
- M3SSC3
- M3SSC4
- M3SSC5
- M3SSC6
- M3SSC7
- M3SSC8
- M2SSK1
- M2SSK2
- M2SSK3
- M3SSK1
- M3SSK2
- M3SSK3
- MTS1
- MTS2
- MTS3
- MJS1
- MJS2
- MJS5
- MJS6
- MJS7
- MJS8
- MJS11
- MJS12

Suitable for Product Class:

Pilot Devices

| Material Compliance                          |                                                                        |
|----------------------------------------------|------------------------------------------------------------------------|
| Conflict Minerals Reporting Template (CMRT): | 9AKK108467A5658                                                        |
| REACH Declaration:                           | 2CMT2022-006479                                                        |
| RoHS Declaration:                            | 2CMT2022-006498                                                        |
| RoHS Information:                            | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Toxic Substances Control Act - TSCA:         | 2CMT2023-006523                                                        |
| WEEE B2C / B2B:                              | Business To Business                                                   |
| WEEE Category:                               | 5. Small Equipment (No External Dimension More Than 50 cm)             |

| Certificates and Declarations     |                 |
|-----------------------------------|-----------------|
| Declaration of Conformity - CE:   | 2CMT2015-005452 |
| Declaration of Conformity - UKCA: | 2CMT2020-006121 |

| Container Information         |               |
|-------------------------------|---------------|
| Package Level 1 Units:        | box 500 piece |
| Package Level 1 Gross Weight: | 7 kg          |
| Package Level 1 EAN:          | 7320500311523 |

| External Classifications and Standards |                                                    |
|----------------------------------------|----------------------------------------------------|
| Object Classification Code:            | S                                                  |
| ETIM 6:                                | EC002024 - Accessories for control circuit devices |
| ETIM 7:                                | EC000041 - Auxiliary contact block                 |
| ETIM 8:                                | EC000041 - Auxiliary contact block                 |
| eClass:                                | V11.0 : 27371302                                   |
| UNSPSC:                                | 39121500                                           |

| Categories                                                                                             |  |
|--------------------------------------------------------------------------------------------------------|--|
| Products > Low Voltage Products and Systems > Control Products > Pilot Devices > Modular Plastic Range |  |

