


MG-CPM



Features

TECHNICAL INFORMATION

Minimum operating temperature	-40°C
Maximum operating temperature	130°C

CLASSIFICATION AND DATA ORDERING

Customs code	39269097
--------------	----------

MATERIAL COMPOSITION AND TREATMENTS

Material	Polycarbonate
Silicone-free	Yes
Halogen free	Yes

CERTIFICATIONS

Self-extinguishing fire class according to UL 94	V0
Cembre internal test	Yes
CEI EN 60950-1	Yes
CEI EN 61010-1 ed.2	Yes
EN ISO 4892-2	Yes
DIN 30643	Yes
UNI EN ISO 175	Yes



tipo	Colour	Sheet elements	Number of lines	Tag format	S [mm]	Width [mm]	L [mm]	Horizontal pitch between the sheet elements [mm]	Unit in minimal packaging [pce]	Unit in standard packaging [pce]	ROHS compliant	EN 45545-2 certification (r22)	EN 45545-2 certification (r23)
41091N	white	48	4	S (single)	1.4	5	15	5.1	1680	1680	Yes	HL2	
41094	white	56	4	S (single)	1.1	5	7	5.1	1960	1960	Yes	HL2	
41090N	white	56	4	S (single)	1.4	5	10	5.1	1960	1960	Yes	HL2	
41096	white	32	4	M (modular strip)	1.4	8	10	8	1120	1120	Yes	HL2	
41092	white	80	4	S (single)	1.3	3	10	3.5	2000	2000	Yes	HL2	
41095	white	48	4	M (modular strip)	1.1	6	10	6	1680	1680	Yes	HL2	
41098	white	56	4	M (modular strip)	1.4	5	10	5.1	1960	1960	Yes	HL2	
41099	white	56	4	M (modular strip)	1.4	5	12	5.1	1960	1960		HL2	
41040N	yellow	56	4	S (single)	1.4	5	10	5.1	1960	1960	Yes	HL3	HL3
41044	yellow	56	4	S (single)	1.1	5	7	5.1	1960	1960	Yes	HL3	HL3
41046	yellow	32	4	M (modular strip)	1.4	8	10	8	1120	1120	Yes	HL3	HL3
41041N	yellow	48	4	S (single)	1.4	5	15	5.1	1680	1680	Yes	HL3	HL3
41045	yellow	48	4	M (modular strip)	1.1	6	10	6	1680	1680	Yes	HL3	HL3
41048	yellow	56	4	M (modular strip)	1.4	5	10	5.1	1960	1960	Yes	HL3	HL3
41190N	white	48	4	S (single)	1.4	5	10	5.1	1680	1680	Yes	HL2	
41140N	yellow	48	4	S (single)	1.4	5	10	5.1	1680	1680	Yes	HL3	HL3
41291	white	56	4	S (single)	1.4	5	10	5	1960	1960	Yes	HL2	
41293	white	56	4	M (modular strip)	1.4	5	10	5	1960	1960	Yes	HL2	
41391	white	48	4	M (modular strip)	1.1	6	10	6	1344	1344	Yes	HL2	
41390N	white	48	4	S (single)	1.4	5	10	5.2	1680	1680	Yes	HL2	
41392	white	80	4	S (single)	1.3	3	10	3.5	2000	2000	Yes	HL2	
41395	white	48	4	M (modular strip)	1.4	5	10	5.2	1680	1680	Yes	HL2	
41396	white	32	4	M (modular strip)	1.4	8	10	8	1120	1120	Yes	HL2	
41340N	yellow	48	4	S (single)	1.4	5	10	5.2	1680	1680	Yes	HL3	HL3
41346	yellow	32	4	M (modular strip)	1.4	8	10	8	1120	1120	Yes	HL3	HL3
41490	white	56	4	S (single)	1.4	5	10	5	1960	1960	Yes	HL2	

tipo	Colour	Sheet elements	Number of lines	Tag format	S [mm]	Width [mm]	L [mm]	Horizontal pitch between the sheet elements [mm]	Unit in minimal packaging [pce]	Unit in standard packaging [pce]	ROHS compliant	EN 45545-2 certification (r22)	EN 45545-2 certification (r23)
41494	white	56	4	M (modular strip)	1.4	5	10	5	1960	1960	Yes	HL2	
41495	white	56	4	M (modular strip)	1.4	5	8	5	1960	1960	Yes	HL2	
41591	white	44	4	S (single)	1.4	5	10	6	1540	1540	Yes	HL2	
41691	white	48	4	S (single)	1.4	5	10	5.2	1680	1680	Yes	HL2	
41692	white	80	4	S (single)	1.3	3	10	3.5	2000	2000	Yes	HL2	
41693	white	48	12	M (modular strip)	1.4	5	10	5.2	1680	1680		HL2	
41696	white	96	8	M (modular strip)	0.85	5	5	5.2	1920	1920		HL2	
41646	yellow	96	8	M (modular strip)	0.85	5	5	5.2	1920	1920		HL2	
41890	white	56	4	MF (modular flexible pitch strip)	1.1	5	10	5.5	1960	1960	Yes	HL2	
46192	white	48	4	S (single)	1.4	5	12	5.5	1680	1680	Yes	HL2	
46194	white	48	4	S (single)	1.3	5	10	5.5	1680	1680	Yes	HL2	
46392	white	48	4	S (single)	1.4	6	12	6.1	1344	1344	Yes	HL2	
46342	yellow	48	4	S (single)	1.4	6	12	6.1	1344	1344	Yes	HL3	HL3
46393	white	56	4	S (single)	1.4	5	9	5.1	1960	1960		HL2	
46343	yellow	56	4	S (single)	1.4	5	9	5.1	1960	1960		HL3	HL3
46390	white	56	4	MF (modular flexible pitch strip)	1.1	4.2	9	5.5	1960	1960	Yes	HL2	
46391	white	56	4	MF (modular flexible pitch strip)	1.1	4.2	6	5	1960	1960	Yes	HL2	
41790	white	56	4	M (modular strip)	1.4	5	12	5.2	1960	1960	Yes	HL2	
41791	white	48	4	M (modular strip)	1.4	6	12	6	1680	1680	Yes	HL2	
41740	yellow	56	4	M (modular strip)	1.4	5	12	5.2	1960	1960	Yes	HL3	HL3
41741	yellow	48	4	M (modular strip)	1.4	6	12	6	1680	1680	Yes	HL3	HL3
42908	white	48	4	M (modular strip)	1.1	5	5	5.1	1680	1680	Yes	HL2	
42909	white	40	4	M (modular strip)	1.1	6	5	6.1	1400	1400	Yes	HL2	
43390	white	32	4	M (modular strip)	1.1	7.5	4	7.5	1120	1120	Yes	HL2	
41394	white	24	4	M (modular strip)	1.4	10	10	10	840	840		HL2	

