


MG-VYT

ADHESIVE LABELS, IN PVC FILM, PRE-CUT, FOR OUTSIDE OF PANEL



CERTIFICATIONS & APPROVALS



UL (cULus)

Features

TECHNICAL INFORMATION

Minimum operating temperature	-30°C
Maximum operating temperature	70°C
Minimum application temperature	10°C
Maximum application temperature	40°C
Type of adhesive	Acrylic-based adhesive

MATERIAL COMPOSITION AND TREATMENTS

Silicone-free	Yes
---------------	-----

WEIGHT AND DIMENSIONS

Thickness	0.08mm
-----------	--------

CLASSIFICATION AND DATA ORDERING

Customs code	39199080
--------------	----------

CERTIFICATIONS

Cembre internal test	Yes
CEI EN 60950-1	Yes
CEI EN 61010-1 ed.2	Yes
DIN 30643	Yes



tipo	Colour	Sheet elements	Number of lines	Material	Width [mm]	L [mm]	Unit in minimal packaging [pce]	Unit in standard packaging [pce]	ROHS compliant	UL 969 certification	EN ISO 4892-2
44816	transparent	55	5	PVC	9	20	2500	2500	Yes		
46021N	transparent	28	4	PVC	15	27	1400	1400	Yes		
46011	transparent	2	1	PVC	52	107	100	100	Yes		
46029	transparent	4	2	PVC	50	50	200	200	Yes		
46060	transparent	4	2	PVC	60	50	200	200			
46827	metallic grey	120	8	PVC film	5	12	6000	6000	Yes	Yes	Yes
46815	metallic grey	105	7	PVC film	6	15	5250	5250	Yes	Yes	Yes
46891	metallic grey	120	10	PVC film	7	10	6000	6000	Yes	Yes	Yes
46828	metallic grey	60	5	PVC film	7	15	3000	3000	Yes	Yes	Yes
46818	metallic grey	96	8	PVC film	8	12	4800	4800	Yes	Yes	Yes
46823	metallic grey	72	6	PVC film	8	17	3600	3600	Yes	Yes	Yes
46824	metallic grey	60	5	PVC film	8	21	3000	3000	Yes	Yes	Yes
46814	metallic grey	80	9	PVC film	9	12	4000	4000	Yes	Yes	Yes
46895	metallic grey	70	7	PVC film	9	15	3500	3500	Yes	Yes	Yes
46896N	metallic grey	55	5	PVC film	9	20	2750	2750	Yes	Yes	Yes
46810N	metallic grey	33	3	PVC film	9	35	1650	1650	Yes	Yes	Yes
46834	metallic grey	49	7	PVC film	15	15	2450	2450	Yes	Yes	Yes
46832N	metallic grey	42	6	PVC film	15	17	2100	2100	Yes	Yes	Yes
46821N	metallic grey	28	4	PVC film	15	27	1400	1400	Yes	Yes	Yes
46833N	metallic grey	14	2	PVC film	15	49	700	700	Yes	Yes	Yes
46831	metallic grey	16	4	PVC film	25	25	800	800	Yes	Yes	Yes
46825	metallic grey	8	2	PVC film	25	50	400	400	Yes	Yes	Yes
46826	metallic grey	4	1	PVC film	25	80	200	200	Yes	Yes	Yes
46839	metallic grey	3	1	PVC film	32	58	150	150	Yes	Yes	Yes
46822	metallic grey	2	1	PVC film	42	78	100	100	Yes	Yes	Yes

tipo	Colour	Sheet elements	Number of lines	Material	Width [mm]	L [mm]	Unit in minimal packaging [pce]	Unit in standard packaging [pce]	ROHS compliant	UL 969 certification	EN ISO 4892-2
46829	metallic grey	4	2	PVC film	50	50	200	200	Yes	Yes	Yes
46811	metallic grey	2	1	PVC film	52	107	100	300	Yes	Yes	Yes
46841	metallic grey	1	1	PVC film	62	88	50	50	Yes	Yes	Yes
46813	metallic grey	1	1	PVC film	105	110	50	50	Yes	Yes	Yes
46842	metallic grey	1	1	PVC film	110	140	50	50	Yes	Yes	Yes
44891	white	120	10	PVC film	7	10	6000	6000	Yes	Yes	Yes
44895	white	70	7	PVC film	9	15	3500	3500	Yes	Yes	Yes
46638	blue	4	1	PVC	25	100	200	200			
46315	orange	105	7	PVC	6	15	5250	5250			
46711PK	pink	2	1	PVC	52	107	100	100			
46960	white	4	2	PVC film	60	50	200	200		Yes	Yes
46544	green	15	3	PVC	20	35	750	750	Yes		
46659	blue	30	6	PVC	20	20	1500	1500	Yes		
46958	white	20	10	PVC film	5	52	1000	1000	Yes	Yes	Yes
46954	white	10	2	PVC film	20	62	500	500	Yes	Yes	Yes
46956	white	60	20	PVC film	5	25	3000	3000	Yes	Yes	Yes
44896N	white	55	5	PVC film	9	20	2750	2750	Yes	Yes	Yes
46910N	white	33	3	PVC film	9	35	1650	1650	Yes	Yes	Yes
46923	white	72	6	PVC film	8	17	3600	3600	Yes	Yes	Yes
46922	white	2	1	PVC film	42	78	100	100	Yes	Yes	Yes
46924	white	60	5	PVC film	8	21	3000	3000	Yes	Yes	Yes
46911	white	2	1	PVC film	52	107	100	100	Yes	Yes	Yes
46925	white	8	2	PVC film	25	50	400	400	Yes	Yes	Yes
46913	white	1	1	PVC film	105	110	50	50	Yes	Yes	Yes
46914	white	80	9	PVC film	9	12	4000	4000	Yes	Yes	Yes
46928	white	60	5	PVC film	7	15	3000	3000	Yes	Yes	Yes

tipo	Colour	Sheet elements	Number of lines	Material	Width [mm]	L [mm]	Unit in minimal packaging [pce]	Unit in standard packaging [pce]	ROHS compliant	UL 969 certification	EN ISO 4892-2
46915	white	105	7	PVC film	6	15	5250	5250	Yes	Yes	Yes
46921N	white	28	4	PVC film	15	27	1400	1400	Yes	Yes	Yes
46929	white	4	2	PVC film	50	50	200	200	Yes	Yes	Yes
46918	white	96	8	PVC film	8	12	4800	4800	Yes	Yes	Yes
46926	white	4	1	PVC film	25	80	200	600	Yes	Yes	Yes
46927	white	120	8	PVC film	5	12	6000	6000	Yes	Yes	Yes
44841	yellow	120	10	PVC film	7	10	6000	6000	Yes	Yes	Yes
46931	white	16	4	PVC film	25	25	800	800	Yes	Yes	Yes
46934	white	49	7	PVC film	15	15	2450	2450	Yes	Yes	Yes
46935	white	60	5	PVC film	7	20	3000	3000	Yes	Yes	Yes
46932N	white	42	6	PVC film	15	17	2100	2100	Yes	Yes	Yes
46933N	white	14	2	PVC film	15	49	700	700	Yes	Yes	Yes
46938	white	4	1	PVC film	25	100	200	200	Yes	Yes	Yes
44845	yellow	70	7	PVC film	9	15	3500	3500	Yes	Yes	Yes
46942	white	1	1	PVC film	110	140	50	50	Yes	Yes	Yes
46939	white	3	1	PVC film	32	58	150	150	Yes	Yes	Yes
46439	yellow	3	1	PVC film	32	58	150	150	Yes	Yes	Yes
46941	white	1	1	PVC film	62	88	50	50	Yes	Yes	Yes
46441	yellow	1	1	PVC film	62	88	50	50	Yes	Yes	Yes
46115	black	105	7	PVC	6	15	5250	5250	Yes		
46196N	black	55	5	PVC	9	20	2750	2750	Yes		
44846N	yellow	55	5	PVC film	9	20	2750	8250	Yes	Yes	Yes
46139	black	3	1	PVC	32	58	150	150	Yes		
46111	black	2	1	PVC	52	107	100	100	Yes		
46615	blue	105	7	PVC	6	15	5250	5250	Yes		
46696N	blue	55	5	PVC	9	20	2750	2750	Yes		

tipo	Colour	Sheet elements	Number of lines	Material	Width [mm]	L [mm]	Unit in minimal packaging [pce]	Unit in standard packaging [pce]	ROHS compliant	UL 969 certification	EN ISO 4892-2
46639	blue	3	1	PVC	32	58	150	150	Yes		
46611	blue	2	1	PVC	52	107	100	100	Yes		
46311	orange	2	1	PVC	52	107	100	100	Yes		
46413	yellow	1	1	PVC film	105	110	50	50	Yes	Yes	Yes
46411	yellow	2	1	PVC film	52	107	100	300	Yes	Yes	Yes
46410N	yellow	33	3	PVC film	9	35	1650	1650	Yes	Yes	Yes
46213	red	1	1	PVC	105	110	50	50	Yes		
46414	yellow	80	9	PVC film	9	12	4000	4000	Yes	Yes	Yes
46215	red	105	7	PVC	6	15	5250	5250	Yes		
46296N	red	55	5	PVC	9	20	2750	2750	Yes		
46239	red	3	1	PVC	32	58	150	150	Yes		
46211	red	2	1	PVC	52	107	100	100	Yes		
46415	yellow	105	7	PVC film	6	15	5250	15750	Yes	Yes	Yes
46515	green	105	7	PVC	6	15	5250	5250	Yes		
46596N	green	55	5	PVC	9	20	2750	2750	Yes		
46539	green	3	1	PVC	32	58	150	150	Yes		
46511	green	2	1	PVC	52	107	100	300	Yes		
46515LG	light green	105	7	PVC	6	15	5250	5250	Yes		
46596NLG	light green	55	5	PVC	9	20	2750	2750	Yes		
46539LG	light green	3	1	PVC	32	58	150	150	Yes		
46511LG	light green	2	1	PVC	52	107	100	100	Yes		
46715	purple	105	7	PVC	6	15	5250	5250	Yes		
46796N	purple	55	5	PVC	9	20	2750	2750	Yes		
46739	purple	3	1	PVC	32	58	150	150	Yes		
46711	purple	2	1	PVC	52	107	100	100	Yes		
46444	yellow	15	3	PVC film	20	35	750	750	Yes	Yes	Yes
46421N	yellow	28	4	PVC film	15	27	1400	1400	Yes	Yes	Yes
46418	yellow	96	8	PVC film	8	12	4800	4800	Yes	Yes	Yes
46427	yellow	120	8	PVC film	5	12	6000	6000	Yes	Yes	Yes

tipo	Colour	Sheet elements	Number of lines	Material	Width [mm]	L [mm]	Unit in minimal packaging [pce]	Unit in standard packaging [pce]	ROHS compliant	UL 969 certification	EN ISO 4892-2
46423	yellow	72	6	PVC film	8	17	3600	3600	Yes	Yes	Yes
46422	yellow	2	1	PVC film	42	78	100	100	Yes	Yes	Yes
46425	yellow	8	2	PVC film	25	50	400	400	Yes	Yes	Yes
46426	yellow	4	1	PVC film	25	80	200	200	Yes	Yes	Yes
46429	yellow	4	2	PVC film	50	50	200	600	Yes	Yes	Yes
46428	yellow	60	5	PVC film	7	15	3000	3000	Yes	Yes	Yes
46424	yellow	60	5	PVC film	8	21	3000	9000	Yes	Yes	Yes
46431	yellow	16	4	PVC film	25	25	800	800	Yes	Yes	Yes
46434	yellow	49	7	PVC film	15	15	2450	7350	Yes	Yes	Yes
46435	yellow	60	5	PVC film	7	20	3000	3000	Yes	Yes	Yes
46432N	yellow	42	6	PVC film	15	17	2100	6300	Yes	Yes	Yes
46433N	yellow	14	2	PVC film	15	49	700	700	Yes	Yes	Yes
46438	yellow	4	1	PVC film	25	100	200	200	Yes	Yes	Yes
46454	yellow	10	2	PVC film	20	62	500	500	Yes	Yes	Yes
46458	yellow	20	10	PVC film	5	52	1000	1000	Yes	Yes	Yes
46238	red	4	1	PVC	25	100	200	200			
46338	orange	4	1	PVC	25	100	200	200			
46538LG	metallic grey	4	1	PVC film	25	100	200	200			
46738	purple	4	1	PVC	25	100	200	200			
46138	black	4	1	PVC	25	100	200	200			
46442	yellow	1	1	PVC film	110	140	50	50	Yes	Yes	Yes