

# Product datasheet

Specifications



outlet grille plast cut out 92x92mm  
ext dim 137x117mm IP54

Local distributor code:  
388829314 NSYCAG92LPF

EAN Code: 3606480151521

## Main

|                                       |                                                                                                       |
|---------------------------------------|-------------------------------------------------------------------------------------------------------|
| Range                                 | ClimaSys                                                                                              |
| Product                               | ClimaSys CA                                                                                           |
| Range compatibility                   | Prisma Prisma P<br>ClimaSys ClimaSys CV fan                                                           |
| Certification                         | CSA                                                                                                   |
| Product or component type             | Outlet grille                                                                                         |
| Accessory / separate part category    | Thermal management accessory                                                                          |
| Accessory / separate part destination | ClimaSys ventilation system                                                                           |
| fixing mode                           | By screws<br>Clipped                                                                                  |
| Device composition                    | 1 external part: front<br>1 support frame<br>1 G2 M1 synthetic standard filter: rear of outlet grille |

## Complementary

|                    |                                 |
|--------------------|---------------------------------|
| Material           | Injected thermoplastic (ASA PC) |
| Colour             | External part: grey (RAL 7035)  |
| Cut-out dimensions | 92 x 92 mm                      |
| Height             | External: 137 mm                |
| Width              | External: 117 mm                |
| Depth              | External : 13 mm                |

## Packing Units

|                              |           |
|------------------------------|-----------|
| Unit Type of Package 1       | PCE       |
| Number of Units in Package 1 | 1         |
| Package 1 Height             | 4.000 cm  |
| Package 1 Width              | 12.500 cm |
| Package 1 Length             | 14.500 cm |
| Package 1 Weight             | 149.000 g |
| Unit Type of Package 2       | CAR       |
| Number of Units in Package 2 | 102       |
| Package 2 Height             | 40.000 cm |
| Package 2 Width              | 40.000 cm |
| Package 2 Length             | 60.000 cm |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                              |            |
|------------------------------|------------|
| Package 2 Weight             | 15.198 kg  |
| Unit Type of Package 3       | P12        |
| Number of Units in Package 3 | 816        |
| Package 3 Height             | 91.000 cm  |
| Package 3 Width              | 80.000 cm  |
| Package 3 Length             | 120.000 cm |
| Package 3 Weight             | 134.600 kg |

## Logistical informations

|                   |    |
|-------------------|----|
| Country of origin | FR |
|-------------------|----|

## Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

|                                                        |                                               |
|--------------------------------------------------------|-----------------------------------------------|
| Total lifecycle Carbon footprint                       | 1 kg CO2 eq.                                  |
| Carbon footprint of the manufacturing phase [A1 to A3] | 0.8 kg CO2 eq.                                |
| Carbon footprint of the distribution phase [A4]        | 0.3 kg CO2 eq.                                |
| Carbon footprint of the installation phase [A5]        | 0 kg CO2 eq.                                  |
| Carbon footprint of the use phase [B2, B3, B4, B6]     | 0 kg CO2 eq.                                  |
| Carbon footprint of the end-of-life phase [C1 to C4]   | 0.3 kg CO2 eq.                                |
| Environmental Disclosure                               | <a href="#">Product Environmental Profile</a> |

## Use Better



### Materials and Substances

|                                        |                                                                             |
|----------------------------------------|-----------------------------------------------------------------------------|
| Packaging made with recycled cardboard | No                                                                          |
| Packaging without single use plastic   | No                                                                          |
| EU RoHS Directive                      | <a href="#">Compliant</a>                                                   |
| REACH Regulation                       | <a href="#">Free of Substances of Very High Concern above the threshold</a> |
| PVC free                               | Yes                                                                         |
| Silicone-free                          | Yes                                                                         |

## Use Longer



### Lifetime extension

|        |    |
|--------|----|
| Repair | No |
|--------|----|

## Use Again



### Repack and remanufacture

|                                 |                                          |
|---------------------------------|------------------------------------------|
| Recyclability potential, in %   | 8                                        |
| End of life manual availability | No need of specific recycling operations |
| Take-back                       | No                                       |