

# Product datasheet

Specifications



"PanelSet S3X - stainless steel  
304L- Scotch Brite® finish -  
H800xW1200xD300 mm."

NSYS3X801230

EAN Code: 3606480731761

## Main

|                      |                                                                                  |
|----------------------|----------------------------------------------------------------------------------|
| Range                | Spacial                                                                          |
| Product name         | Spacial S3X                                                                      |
| enclosure type       | Multi-purpose                                                                    |
| category             | Compact enclosure                                                                |
| nominal height       | 800 mm                                                                           |
| nominal width        | 1200 mm                                                                          |
| nominal depth        | 300 mm                                                                           |
| product installation | Wall-mounting                                                                    |
| Device composition   | 1 body<br>1 lock: door<br>2 perforated vertical profile drilled: door<br>2 doors |

## Complementary

|                             |                                                                              |
|-----------------------------|------------------------------------------------------------------------------|
| Body type                   | Single piece body, cross-shaped structure<br>Gutter shaped front rail        |
| Door type                   | Plain                                                                        |
| Number of doors             | Front face: 2 door(s)                                                        |
| Door opening side           | Reversible (120 °)                                                           |
| Lock type                   | 3 points lock, 3 mm double-bar                                               |
| Mounting plate description  | Without mounting plate                                                       |
| Type of gland plate         | Without gland plate                                                          |
| Accessibility for operation | Front                                                                        |
| Removable parts             | Door by hinges                                                               |
| Material                    | Body and door: stainless steel 304L<br>Lock: zamak<br>Hinge: stainless steel |
| Surface finish              | Body and door: Scotch-Brite® brushed<br>Lock: chromium plated                |
| Product weight              | 43 kg                                                                        |

## Environment

|                        |                             |
|------------------------|-----------------------------|
| Standards              | IEC 62208<br>UL<br>CUL      |
| Product certifications | UL 508 type A<br>CAN/CSA 22 |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                              |                               |
|------------------------------|-------------------------------|
| IP degree of protection      | IP55 conforming to IEC 60529  |
| IK degree of protection      | IK10 conforming to IEC 62262  |
| Environmental characteristic | Corrosive<br>Specific hygiene |

## Packing Units

|                              |            |
|------------------------------|------------|
| Unit Type of Package 1       | PCE        |
| Number of Units in Package 1 | 1          |
| Package 1 Height             | 82.000 cm  |
| Package 1 Width              | 121.500 cm |
| Package 1 Length             | 32.000 cm  |
| Package 1 Weight             | 43.000 kg  |
| Unit Type of Package 2       | PAM        |
| Number of Units in Package 2 | 4          |
| Package 2 Height             | 137.000 cm |
| Package 2 Width              | 100.000 cm |
| Package 2 Length             | 120.000 cm |
| Package 2 Weight             | 190.600 kg |

## Logistical informations

|                   |    |
|-------------------|----|
| Country of origin | BG |
|-------------------|----|

## Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

|                                                        |                                               |
|--------------------------------------------------------|-----------------------------------------------|
| Total lifecycle Carbon footprint                       | 639 kg CO2 eq.                                |
| Carbon footprint of the manufacturing phase [A1 to A3] | 439 kg CO2 eq.                                |
| Carbon footprint of the distribution phase [A4]        | 85 kg CO2 eq.                                 |
| Carbon footprint of the installation phase [A5]        | 2 kg CO2 eq.                                  |
| Carbon footprint of the use phase [B2, B3, B4, B6]     | 0 kg CO2 eq.                                  |
| Carbon footprint of the end-of-life phase [C1 to C4]   | 113 kg CO2 eq.                                |
| Environmental Disclosure                               | <a href="#">Product Environmental Profile</a> |

## Use Better



### Materials and Substances

|                                        |                                                                             |
|----------------------------------------|-----------------------------------------------------------------------------|
| Packaging made with recycled cardboard | No                                                                          |
| Packaging without single use plastic   | No                                                                          |
| SCIP Number                            | E893f0a0-d2cc-4011-9425-3873dde70142                                        |
| EU RoHS Directive                      | <a href="#">Compliant</a>                                                   |
| REACH Regulation                       | <a href="#">Free of Substances of Very High Concern above the threshold</a> |

## Use Longer



### Lifetime extension

|        |    |
|--------|----|
| Repair | No |
|--------|----|

## Use Again



### Repack and remanufacture

|                                 |                                          |
|---------------------------------|------------------------------------------|
| End of life manual availability | No need of specific recycling operations |
| Take-back                       | No                                       |

Offer Marketing Illustration

Product benefits / Features

---



High resistance  
to corrosion



Earthing  
studs included



Large choice  
of dimensions  
& accessories





Built  
to last



Easy to equip  
Easy to maintain



Easy & quick  
assembly