

Product datasheet

Specifications



"PanelSeT SD Compact control desk w/o mounting plate - H1000xW600xD466 - IP55"

Local distributor code:

383547439

NSYSD6

EAN Code: 3606480154409

Main

Range	PanelSeT
Product name	PanelSeT SD
Enclosure type	Multi-purpose
Category	Monobloc control desk
Nominal height	1000 mm
Nominal width	600 mm
Nominal depth	466 mm
Product installation	Floor-standing
Device composition	1 structure 1 door 2 lock: door 4 adjustment rail 1 cable gland plate 2 pneumatic stay: desk lid

Complementary

Body type	Single piece structure folded and welded
Door type	Plain
Number of doors	Front: 1 door(s)
Door opening side	Reversible 120 ° door
Lock type	2 points lock, 3 mm double-bar
Mounting plate description	Without mounting plate
Type of gland plate	1 entry plate
Accessibility for operation	Front
Removable parts	Door by hinges Desk lid by hinges Cable gland plate by clipping screws
Material	Body: steel
Surface finish	Epoxy-polyester powder
thickness	1.5 mm

Environment

Standards	IEC 62208
IP degree of protection	IP55 conforming to IEC 60529
IK degree of protection	IK10 conforming to IEC 62262

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	50.000 cm
Package 1 Width	60.000 cm
Package 1 Length	116.000 cm
Package 1 Weight	42.000 kg
Unit Type of Package 2	PAM
Number of Units in Package 2	4
Package 2 Height	130.000 cm
Package 2 Width	100.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	213.000 kg

Logistical informations

Country of origin	CZ
-------------------	----

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	396 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	205 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	83 kg CO2 eq.
Carbon footprint of the installation phase [A5]	8 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	99 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	E893f0a0-d2cc-4011-9425-3873dde70142
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
PVC free	Yes
Silicone-free	Yes

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	98
End of life manual availability	No need of specific recycling operations
Take-back	No