

Product datasheet

Specifications



Folding support tray - 500 mm enclosure - 30 kg load

Local distributor code:

398253349

NSYSDT5

EAN Code: 3606485131498

Main

Range	PanelSeT
Product or component type	Folding support tray
Application	Multi-purpose
Nominal dimensions of the housing	- W: 500 mm
Mounting location	On door reinforcement frame On door cross rails for 1000 mm wide enclosures
Mounting support	Cross rails
Range compatibility	PanelSeT SF, SM, SFX, SMX, S3D, CRN enclosures
Device composition	Fixing elements 1 x tray
Quantity per set	Set of 1

Complementary

Material	Steel
Colour	Grey (RAL 7035)
Surface finish	Epoxy-polyester powder
Fixing mode	By fixing element
Adjustment	Adjustable in height, steps of 25 mm
Operating angle	45 ° 60 ° 75 ° 90 °
Maximum load	30 kg/m ²
Height	50 mm
Width	Nominal: 325 mm
Depth	350 mm
thickness	1.5 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.000 cm
Package 1 Width	36.000 cm
Package 1 Length	40.500 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Weight	2.916 kg
Unit Type of Package 2	PAM
Number of Units in Package 2	60
Package 2 Height	63.000 cm
Package 2 Width	100.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	185.200 kg

Logistical informations

Country of origin	ES
-------------------	----

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	11 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	7 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.3 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.3 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	4 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	52da316e-d4e1-4114-85c0-32a03b2934fd
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold
PVC free	Yes
Silicone-free	No

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	98
End of life manual availability	No need of specific recycling operations
Take-back	No