


# Product datasheet

Specifications



"Side panels for the plinth, PanelSeT SFN, PanelSeT SF, PanelSeT SM, for electrical enclosure D600mm, set of 2, H100mm"

Local distributor code:  
398323635

NSYSPS6100

EAN Code: 3606485126630

## Main

|                                    |                                                                                                                  |
|------------------------------------|------------------------------------------------------------------------------------------------------------------|
| Range                              | PanelSeT                                                                                                         |
| Accessory / separate part category | Enclosure accessory                                                                                              |
| Product or component type          | Side plinth                                                                                                      |
| Application                        | Compartmentalised application<br>PC application<br>Multi-purpose<br>Electronic application<br>Prisma application |
| Nominal dimensions of the housing  | -                                                                                                                |
| Device composition                 | fixing elements<br>4 corner cover<br>2 side panel                                                                |
| Range compatibility                | PanelSeT SF<br>PanelSeT SM<br>PanelSeT SFM<br>PanelSeT SFN                                                       |
| Mounting support                   | Front plinth                                                                                                     |

## Complementary

|                |                        |
|----------------|------------------------|
| Fixing mode    | By screws              |
| Colour         | Grey (RAL 7022)        |
| Surface finish | Epoxy-polyester powder |
| Height         | 100 mm                 |
| Width          | Nominal: 600 mm        |

## Environment

|                         |                        |
|-------------------------|------------------------|
| IP degree of protection | IP20 (complete plinth) |
| IK degree of protection | IK10                   |

## Packing Units

|                              |           |
|------------------------------|-----------|
| Unit Type of Package 1       | PCE       |
| Number of Units in Package 1 | 1         |
| Package 1 Height             | 6.000 cm  |
| Package 1 Width              | 12.000 cm |
| Package 1 Length             | 46.000 cm |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                              |            |
|------------------------------|------------|
| Package 1 Weight             | 1.844 kg   |
| Unit Type of Package 2       | PAL        |
| Number of Units in Package 2 | 330        |
| Package 2 Height             | 103.000 cm |
| Package 2 Width              | 100.000 cm |
| Package 2 Length             | 123.000 cm |
| Package 2 Weight             | 622.000 kg |

## Logistical informations

|                   |    |
|-------------------|----|
| Country of origin | TN |
|-------------------|----|

## Contractual warranty

|                      |    |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

|                                                        |                                               |
|--------------------------------------------------------|-----------------------------------------------|
| Total lifecycle Carbon footprint                       | 12 kg CO2 eq.                                 |
| Carbon footprint of the manufacturing phase [A1 to A3] | 8 kg CO2 eq.                                  |
| Carbon footprint of the distribution phase [A4]        | 0.3 kg CO2 eq.                                |
| Carbon footprint of the installation phase [A5]        | 0.4 kg CO2 eq.                                |
| Carbon footprint of the use phase [B2, B3, B4, B6]     | 0 kg CO2 eq.                                  |
| Carbon footprint of the end-of-life phase [C1 to C4]   | 4 kg CO2 eq.                                  |
| Environmental Disclosure                               | <a href="#">Product Environmental Profile</a> |

## Use Better



### Materials and Substances

|                                        |                                                                                        |
|----------------------------------------|----------------------------------------------------------------------------------------|
| Packaging made with recycled cardboard | No                                                                                     |
| Packaging without single use plastic   | No                                                                                     |
| SCIP Number                            | 52da316e-d4e1-4114-85c0-32a03b2934fd                                                   |
| EU RoHS Directive                      | <a href="#">Compliant By Exemption</a>                                                 |
| REACH Regulation                       | <a href="#">Reference contains Substances of Very High Concern above the threshold</a> |
| PVC free                               | Yes                                                                                    |
| Silicone-free                          | No                                                                                     |

## Use Longer



### Lifetime extension

|        |    |
|--------|----|
| Repair | No |
|--------|----|

## Use Again



### Repack and remanufacture

|                                 |                                          |
|---------------------------------|------------------------------------------|
| Recyclability potential, in %   | 98                                       |
| End of life manual availability | No need of specific recycling operations |
| Take-back                       | No                                       |

Technical Illustration

Exploded view

---

