



PRODUCT-DETAILS

S800-SOR130

S800-SOR130 Shunt operation release



General Information	
Extended Product Type:	S800-SOR130
Product ID:	2CCS800900R0221
EAN:	7612271208349
Catalog Description:	S800-SOR130 Shunt operation release
Long Description:	S800-SOR130 Shunt operation release 48 ...130 V AC / DC
Display Name:	S800-SOR130

Technical	
Suitable For:	S800P S800S S800N S800C S800B S800HV S800U S800PV-SP S800PV-SD S800PV-M-H

Electrical

Rated Voltage (U_r):	48 ... 130 V
Rated Operational Voltage:	48 ... 130 V
Rated Control Supply Voltage (U_s):	(50 Hz) 48...130 V (50 Hz) 48...130 V (60 Hz) 48...130 V (60 Hz) 48...130 V (DC) 48...130 V (DC) 48...130 V
Frequency (f):	50/60 Hz
Power Loss:	Total 41.9 ... 307.3 W Total 42 ... 310 V·A
Number of Contacts CO:	0
Number of Contacts NC:	0
Number of Contacts NO:	1

Material Compliance

RoHS Declaration:	9AKK107680A3903
RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date:	20190320
REACH Declaration:	9AKK108470A9089
REACH Information:	True - contains substances > 0.1 mass percentage
REACH Date:	20250313
Conflict Minerals Reporting Template (CMRT):	9AKK108468A3363
WEEE Category:	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B:	Business To Business

Environmental

Environmental Information:	2CCY413207D0203
-----------------------------------	-----------------

Dimensions

Product Net Width:	27 mm
Product Net Height:	95 mm
Product Net Depth / Length:	82.5 mm
Product Net Weight:	150 g
Dimension Diagram:	2CCC413003C0201

Engineering

EPLAN Data:	9AAC212941_EPLAN
-------------	------------------

Ordering

Package Level 1 Units:	box 1 piece
Package Level 1 Gross Weight:	170 g
E-Number (Finland):	3212438
E-Number (Norway):	1628852

Certificates and Declarations

Declaration of Conformity - CE:	9AKK108472A2536
---------------------------------	-----------------

Installation

Instructions and Manuals:	9AKK106930A3418
---------------------------	-----------------

Popular Downloads

Data Sheet, Technical Information:	2CCC413003C0208
------------------------------------	-----------------

External Classifications and Standards

ETIM 9:	EC001023 - Shunt release (for power circuit breaker)
ETIM 10:	EC001023 - Shunt release (for power circuit breaker)
UNSPSC:	39121601
eClass:	V11.0 : 27370418
IDEA Granular Category Code (IGCC):	4879 >> Shunt release (for power circuit breaker)
Object Classification Code:	F
Standards:	IEC 60947-5-1_UL489

Categories

Products > Low Voltage Products and Systems > Modular DIN Rail Products > High Performance Circuit Breakers HPCBs > High Performance Circuit Breakers HPCBs Accessories

