



PRODUCT-DETAILS

S800-SOR250

S800-SOR250 Shunt operation release



General Information

Extended Product Type:	S800-SOR250
Product ID:	2CCS800900R0211
EAN:	7612271208332
Catalog Description:	S800-SOR250 Shunt operation release
Long Description:	S800-SOR250 Shunt operation release 110 ... 250 V AC / DC
Display Name:	S800-SOR250

Technical

Suitable For:	S800P S800S S800N S800C S800B S800HV S800U S800PV-SP S800PV-SD S800PV-M-H
---------------	--

Electrical

Rated Voltage (U_r):	110 ... 250 V
Rated Operational Voltage:	110 ... 250 V
Rated Control Supply Voltage (U_s):	(50 Hz) 110...250 V (50 Hz) 110...250 V (60 Hz) 110...250 V (60 Hz) 110...250 V (DC) 110...250 V (DC) 110...250 V
Frequency (f):	50/60 Hz
Power Loss:	Total 23 ... 119 W Total 20 ... 105 V-A
Number of Contacts CO:	0
Number of Contacts NC:	0
Number of Contacts NO:	1

Material Compliance

RoHS Declaration:	9AKK107680A3903
RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date:	20190320
REACH Declaration:	9AKK108470A9089
REACH Information:	True - contains substances > 0.1 mass percentage
REACH Date:	20250313
Conflict Minerals Reporting Template (CMRT):	9AKK108468A3363
WEEE Category:	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B:	Business To Business

Environmental

Environmental Information:	2CCY413207D0203
-----------------------------------	-----------------

Dimensions

Product Net Width:	27 mm
Product Net Height:	95 mm
Product Net Depth / Length:	82.5 mm
Product Net Weight:	150 g
Dimension Diagram:	2CCC413003C0201

Engineering	
EPLAN Data:	9AAC212941_EPLAN

Ordering	
Package Level 1 Units:	box 1 piece
Package Level 1 Gross Weight:	170 g
E-Number (Finland):	3212436
E-Number (Norway):	1628853

Certificates and Declarations	
Declaration of Conformity - CE:	9AKK108472A2536

Installation	
Instructions and Manuals:	9AKK106930A3418

Popular Downloads	
Data Sheet, Technical Information:	2CCC413003C0208

External Classifications and Standards	
ETIM 9:	EC001023 - Shunt release (for power circuit breaker)
ETIM 10:	EC001023 - Shunt release (for power circuit breaker)
UNSPSC:	39121601
eClass:	V11.0 : 27370418
IDEA Granular Category Code (IGCC):	4879 >> Shunt release (for power circuit breaker)
Object Classification Code:	F
Standards:	IEC 60947-5-1_UL489

Categories	
Products > Low Voltage Products and Systems > Modular DIN Rail Products > High Performance Circuit Breakers HPCBs > High Performance Circuit Breakers HPCBs Accessories	

